UAC STYLE

Quick coupler UNIVERSAL system type, interchangable with plug MP, AP and TP series for American market.

1/4" Body massive flow.



MODEL	APPLICATION	DIMENSIONS(mm)				
		L	H(HEX)	A	T	ØB
UAC20M	1/4	54.5	13/16	11	1/4NPT	8
UAC30M	3/8	56	19	12.5	3/8NPT	11
UAC40M	1/2	57.5	21	14	1/2NPT	14



MODEL	APPLICATION	DIMENSIONS(mm)			
		L	H(HEX)	A	T
UAC20F	1/4	51.2	13/16	11	1/4NPT
UAC30F	3/8	51.2	13/16	12.5	3/8NPT
UAC40F	1/2	53.6	24	14	1/2NPT



MODEL	APPLICATION (HOSE I.D.)	DIMENSIONS(mm)	
		ØT	ØB
UAC20H	1/4	7	4
UAC25H	5/16	9	5.7
UAC30H	3/8	10.5	7
UAC40H	1/2	13.5	9.5

UBC STYLE

Quick coupler UNIVERSAL system type, interchangable with plug MP, AP and TP series for American market.

1/4" Body massive flow.



MODEL	APPLICATION	DIMENSIONS(mm)				
		L	H(HEX)	A	T	ØB
UBC20M	1/4	55.6	19	11	1/4NPT	8
UBC30M	3/8	57.1	19	12.5	3/8NPT	11
UBC40M	1/2	58.6	21	14	1/2NPT	14



MODEL	APPLICATION (HOSE I.D.)	DIMENSIONS(mm)	
		ØT	ØB
UBC20F	1/4	53.5	19
UBC30F	3/8	53.5	19
UBC40F	1/2	55.9	24



MODEL	APPLICATION (HOSE I.D.)	DIMENSIONS(mm)	
		ØT	ØB
UBC20H	1/4	7	4
UBC25H	5/16	9	5.7
UBC30H	3/8	10.5	7
UBC40H	1/2	13.5	9.5

UCC STYLE

Quick coupler UNIVERSAL system type, interchangable with plug MP, AP and TP series for American market.

1/4" Body massive flow.



MODEL	APPLICATION	DIMENSIONS(mm)			
		L	A	T	ØB
UCC20M	1/4	50.8	11	1/4NPT	8
UCC30M	3/8	52.3	12.5	3/8NPT	11



MODEL	APPLICATION	DIMENSIONS(mm)	
		A	T
UCC20F	1/4	11	1/4NPT
UCC30F	3/8	12.5	3/8NPT

UDC STYLE

Quick coupler UNIVERSAL system type, interchangable with plug OP series for European market and MP, AP series for American market.

1/4" Body massive flow.



MODEL	APPLICATION	DIMENSIONS(mm)				
		L	H(HEX)	A	T	ØB
UDC20M	1/4	54.5	20	11	1/4PT/NPT	8
UDC30M	3/8	56	20	12.5	3/8PT/NPT	11
UDC40M	1/2	53	21	14	1/2PT/NPT	14



MODEL	APPLICATION	DIMENSIONS(mm)			
		L	H(HEX)	A	T
UDC20F	1/4	52.5	20	11	1/4PT/NPT
UDC30F	3/8	52.5	20	12.5	3/8PT/NPT
UDC40F	1/2	55	24	14	1/2PT/NPT



MODEL	APPLICATION (HOSE I.D.)	DIMENSIONS(mm)	
		ØT	ØB
UDC20H	1/4	7	4
UDC25H	5/16	9	5.7
UDC30H	3/8	10.5	7
UDC40H	1/2	13.5	9.5



MODEL	APPLICATION (PU TUBE)	DIMENSIONS(mm)			
		L	T(HEX)	A	ØB
UDC20P	5mm*8mm	58.8	14	13	4
UDC30P	6.5mm*10mm	64	5/8	18.5	5
UDC40P	8mm*12mm	65.5	19	20	6.5

UEC STYLE

Quick coupler UNIVERSAL system type, interchangable with plug OP series for European market and MP, AP series for American market.

1/4" Body massive flow.



MODEL	APPLICATION	DIMENSIONS(mm)				
		L	H(HEX)	A	T	ØB
UEC20M	1/4	55.5	19	11	1/4PT/NPT	8
UEC30M	3/8	57	19	12.5	3/8PT/NPT	11
UEC40M	1/2	53.8	21	14	1/2PT/NPT	14



MODEL	APPLICATION	DIMENSIONS(mm)			
		L	H(HEX)	A	T
UEC20F	1/4	53.6	19	11	1/4PT/NPT
UEC30F	3/8	53.6	19	12.5	3/8PT/NPT
UEC40F	1/2	56	24	14	1/2PT/NPT

UEC STYLE

Quick coupler UNIVERSAL system type, interchangable with plug OP series for European market and MP, AP series for American market.

1/4" Body massive flow.



MODEL	APPLICATION (HOSE I.D.)	DIMENSIONS(mm)	
		ØT	ØB
UEC20H	1/4	7	4
UEC25H	5/16	9	5.7
UEC30H	3/8	10.5	7
UEC40H	1/2	13.5	9.5



MODEL	APPLICATION (PU TUBE)	DIMENSIONS(mm)			
		L	T(HEX)	A	ØB
UEC20P	5mm*8mm	58.6	14	13	4
UEC30P	6.5mm*10mm	65	5/8	18.5	5
UEC40P	8mm*12mm	66.5	19	20	6.5